


OWNER'S MANUAL

Model No. JC-1

Mini-Squeeze Juicer



Start your day right with a nutritious glass of freshly squeezed citrus juice with help from your Salton Mini-Squeeze Juicer. It's so convenient and easy to clean.

salton™

IMPORTANT SAFEGUARDS

When using your Salton JC-1 Mini-Squeeze Juicer or any electrical appliance, basic safety precautions should always be followed, including the following:


1. Read all instructions.
2. To protect against risk of electrical shock, do not put motor unit in water or other liquid.
3. Close supervision is necessary when used by or near children.
4. Unplug from outlet when not in use, before putting on or taking off parts, and before cleaning.
5. Avoid contacting moving parts.
6. Do not operate any appliance with a damaged cord or plug or after the appliance malfunctions, or is dropped or damaged in any manner. Return appliance to Salton, Inc. for examination, repair, or electrical or mechanical adjustment.
7. The use of attachments not recommended or sold by Salton, Inc. may cause fire, electric shock, or injury.
8. Do not use outdoors.
9. Do not let cord hang over edge of table or counter, or touch hot surfaces.
10. This appliance is intended for household use only.

SAVE THESE INSTRUCTIONS

INTRODUCTION

Your new Salton Mini-Squeeze Juicer will be a useful addition to your kitchen. Fresh orange, lemon, lime, and grapefruit juice can be made easily at any time. Serving your family fresh squeezed juices is not only healthful but delicious. Fresh squeezed juices provide natural Vitamin C and A. Cooking with fresh squeezed juices is more natural and flavorful.

PARTS OF YOUR MINI-SQUEEZE JUICER



- 1. CORD STORAGE
- 2. MOTOR BASE
- 3. SHAFT
- 4. JUICE CONTAINER
- 5. STRAINER BASKET
- 6. REAMER
- 7. SEE-THROUGH COVER

TO OPERATE

1. Place your Salton Mini-Squeeze Juicer motor base (2) on a dry level surface.
2. Adjust the cord to the right length by simply winding or unwinding the amount needed from the cord storage (1) located on the bottom of the motor base (2)...plug into any 120 volt AC outlet.
3. Place the juice container (4) onto the motor base (2) insert the strainer basket (5) which includes the reamer (6) onto the shaft (3).
4. Prepare the fruit by cutting in halves.
5. Press the halved citrus fruit firmly against the reamer (6). The motor will automatically start...the juice will flow through the strainer basket (5) into the juice container (4) leaving all pits and seeds in the strainer.
6. As each citrus fruit half is juiced...lift the fruit from the reamer (6) and the motor will automatically stop.
7. To remove the juice container (4) and serve the juice, simply lift straight up on the handle...the handy pouring spout makes serving easy...place the cover (7) on the juice container (4) for refrigerator storage (you may pour without removing the cover.)

CLEANING AND STORAGE

- ...Always unplug your Mini-Squeeze Juicer before cleaning.
- ...Clean the motor base (2) with a damp cloth only.
- ...The juice container (4) the strainer basket/reamer (5-6) and the see-through cover (7) should be washed in warm sudsy water, rinsed thoroughly, dried and reassembled for storage.

LIMITED WARRANTY

Machines distributed by Salton, Inc. are warranted for one year from date of purchase against defects in workmanship and material. During that period these defects will be repaired or the product will be replaced at Salton's option, without charge. This warranty covers normal consumer usage and does not cover damage which occurs in shipment or failure which results from alteration, accident, misuse, abuse, neglect, installation, commercial use or improper maintenance. This warranty is effective only if the product is purchased and operated in the USA; and does not extend to any units which have been used in violation of written instructions furnished by Salton, Inc., or to units which have been altered or modified without authorization of Salton, Inc., or to damage to products or parts thereof which have had the serial number removed, altered, defaced or rendered illegible.

Service and Repair

DO NOT attempt to repair your Salton Mini-Squeeze Juicer. Should the machine malfunction, you should first call toll free (800) 323-9391 between the hours of 8:30 am and 5:00 pm Central Standard Time and ask for CONSUMER CUSTOMER SERVICE stating that you are a consumer with a problem. If the problem cannot be resolved you will be asked to return the machine to the factory for repair. Under no circumstances should you attempt to open the housing and repair the machine. Should you do this, your warranty will be voided.

To Return for Service

1. Securely package and return the product, PREPAID to—Salton, Inc., Repair Department, 6330 W. Touhy Ave., Niles, IL 60648.
2. Be sure to enclose:
 - a. Your name, address and phone number.
 - b. The date of purchase (or receipt as a gift).
 - c. An explanation of the malfunction or reason for return.

To insure prompt "In-Warranty" service, be sure to include proof of date of purchase.

We recommend you take the necessary precaution of insuring the parcel.

The Salton logo features the word "salton" in a bold, lowercase, sans-serif font. A small "TM" trademark symbol is positioned to the upper right of the letter "n".